

Worn Manual

1 Lessons


1.1	How to change the headings text in sidebar?	4
1.2	Using Sikbox Live Search	6

Lessons


How to change the headings text in sidebar?

This is a simple step process to change the headings text of the sidebar...

Open Worn Theme Contents



Open the file javascript.js



To explain this process, I'm using Coda but you can use any HTML editor, like <http://www.barebones.com/products/textwrangler/> wich is just fine for this.

Editing the text for sidebar

```
/*
 * Function to generate "h3" for sidebar elements
 */
//

var $j = jQuery.noConflict();

$j(function() {

    // Add Blog Categories title
    if ($j("#blog-categories").children().size() &gt; 0) $j("#blog-categories").prepend("&lt;h3&gt;Categories&lt;/h3&gt;");

    // Add Blog Archives title
    if ($j("#blog-archives").children().size() &gt; 0) $j("#blog-archives").prepend("&lt;h3&gt;Archives&lt;/h3&gt;");

    // Add Tags title
    if ($j("#secondary-content ul.blog-tag-cloud").children().size() &gt; 0) $j("#secondary-content ul.blog-tag-cloud").before("&lt;h3&gt;Tags&lt;/h3&gt;");


});

//]]&gt;</pre></div><div data-bbox="46 312 932 355" data-label="Text"><p>Ok, now we need to scroll down and search for this function, then all we need to do is edit those text inside the <code>&lt;h3&gt;&lt;/h3&gt;</code> Tags, Save and your done.</p></div><div data-bbox="47 936 176 953" data-label="Page-Footer"><p>Worn Manual - 5</p></div>
```


Using Sikbox Live Search

This is a simple step process to use the Sikbox Live Search...

Open Worn Theme Contents



Open the file index.html



To explain this process, I'm using Coda but you can use any HTML editor, like <http://www.barebones.com/products/textwrangler/> wich is just fine for this.

Changing the Domain of the Sikbox

```
<div class="copy floatclear">
  <div id="logo">%logo%/div>
  <h1><a href="/" title="Go Home">%site_title%/a> <span>%site_slogan%/span></h1>
  <div id="search">
    <script src="http://sikbox.com/magic.js?d=realmacsoftware.com&r=5" type="text/javascript"></script>
  </div>
  <div id="navigation" class="floatclear">
    %toolbar%
  </div><!-- navigation -->
</div>
```

Now comes the fun part, we need to change the domain we need to track, in this example as we can see is something like realmacsoftware.com change that to yourdomain.com / Save and we are done :)